

S









FIGURE 41
















 $\infty$ 













6


10/104




.


















FIGURE 140





IGURE 14D

FIGURE 141









FIGURE 14F













































~






























92
















Renumber 36

























48/104










	$A_{R}$	$N_{ m R}$	В	
A <sub>A</sub>	$A_{\rm C}$	<u> 5602</u>	${ m B}_{ m C}$	${\rm B}_{\rm B}$
	$A_{ m L}$	$ m N_L$	$\mathtt{B}_{\underline{\mathrm{L}}}$	

FIGURE 56


















































IGURE 66C



FIGURE 66D













FIGURE 69









**IGURE 73** 

All Possible 16 Combinations Only 4 Produce Current Pulses Upon A Hybridization Event




FIGURE 74

## Precision nm Metrology Reference Position And

Nozzle opening  $x_N = p_b = 0.5 \text{ nm}$ DNA base period p<sub>b</sub>= 0.5 nm

RPP size <0.5 nm

First Nozzle distance from RPP = 10 nm

Distance between Nozzles = 10 nm

Motion Stop = 0.1 nm

 $d_G = 10 \text{ nm} = 100 \text{ steps}$   $d_T = 20 \text{ nm} = 200 \text{ steps}$   $d_C = 30 \text{ nm} = 300 \text{ steps}$   $d_A = 40 \text{ nm} = 400 \text{ steps}$ 


Ó


L


Channel Depth = <10 nm


FIGURE 75

Reference Position Probe (RPP) do = 10 mm . = 20 nm -de=30 nm g. 40 III















FIGURE 80

## Quantum Tunneling






## Inelastic Tunneling
















FIGURE {PFM}B











WO 2006/108188 PCT/US2006/013681 85/104





74


Figure {AFTM1}




## Membrane AFM capacitively read and STM combination Images first them sequences with daisy wheel probes and alignemnt marks















WO 2006/108188 PCT/US2006/013681

92/104










Figure {AS1}










Figure {LITH1}















Figure {TS5}A









Figure (TS5)D







Figure {TS5}F






Figure {DD1}